

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
SAN FRANCISCO BAY REGION

ORDER NO. 88-077

UPDATE OF WASTE DISCHARGE REQUIREMENTS FOR:

REDWOOD EGG FARMS
PETALUMA, SONOMA COUNTY

The California Regional Water Quality Control Board, San Francisco Bay Region (hereinafter the Board) finds that:

1. Water Code Section 13263(e) and the State Water Resources Control Board's regulations (Title 23, CAC, Section 2232.2) require the Board to review waste discharge requirements periodically and determine if the requirements are necessary
2. The discharger was previously issued waste discharge requirements by Board Order No. 86-4 on February 19, 1986.
3. The discharger has discontinued this operation and has no plans to continue it in the future.
4. This Order will rescind the requirements. Adoption of this Order is exempt from provisions of Chapter 3 (commencing with section 21100) of Division 13 of the Public Resources Code (CEQA) pursuant to Section 13389 of the California Water Code.
5. The Board has notified the discharger and interested agencies and persons of its intent to rescind Board Order No. 86-4 and has provided them with an opportunity for a public hearing and an opportunity to submit their written views and recommendations.
6. The Board, in a public meeting, heard and considered all comments pertaining to the discharge.

IT IS HEREBY ORDERED that Board Order No. 86-4 be rescinded.

I, Roger B. James, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of a Resolution adopted by the California Regional Water Quality Control Board, San Francisco Bay Region, on May 18, 1988.

A handwritten signature in cursive script, appearing to read "James R. Kelly", with a small "for" written below the main signature.

ROGER B. JAMES
Executive Officer